



# MINING BROCHURE





In today's highly regulated environment of MRO chemicals, you need a manufacturer you can trust when making crucial decisions on chemical maintenance products. For over 50 years, CRC has made a commitment to provide the best solution for our customers. By offering a full-line of specialty chemical products custom-matched to meet every application need, you can be sure that CRC has the right solution for your MRO Chemical needs.

CRC is an ISO-9001:2008 certified manufacturer and places strict controls on every step of our product development and manufacturing process; starting with the finest raw materials and continuing with our consistent, quality manufacturing techniques. *Becoming certified to ISO standards is not a requirement, but meeting ISO standards and continually gaining re-certification is an excellent example of our commitment to quality and consistency.*

In addition to quality products, CRC offers value-added programs such as our Risk Reduction Partnership Plan™, Environmentally Preferred Products, and Safety Shorts Training. These programs offer solutions to everyday problems and facilitate compliance with MSHA regulations.

**CRC - Your Best Solution™**



## FREQUENTLY ASKED QUESTIONS

**Does CRC offer a No Flash contact cleaner??**

Yes, Contact Cleaner 2000 or XT-2000 if plastics are a concern.

**Can SP-400™ be diluted?**

CRC does not recommend diluting SP-400™. Once diluted the physical properties and corrosion prevention protection are immediately altered. If dilution is absolutely necessary, you may use aliphatic petroleum distillates such as mineral spirits.

**Is SP-400™ Conductive?**

No.

**Do the CRC silicone products contain petroleum?**

Yes, CRC's silicone products do contain petroleum.

**Does CRC offer a water based silicone?**

No, there is currently no water based silicone available.

**Does Power Lube® Multi-Purpose Lubricant contain silicone?**

No.

**What is the best replacement for Contact Cleaner 2000®?**

NT™ Precision Cleaner.

**Why is it recommended that I clean out any old grease before applying new grease?**

Not all greases are compatible. Incompatibility of greases may result in a component failure as a result of significant changes in the chemical and physical properties of the grease.

**Can I use Di-Electric grease to seal and lubricate battery terminals and spark plugs?**

Yes.

# TABLE OF CONTENTS

Mining equipment operates in the harshest of environments, above and below ground. Proper and timely maintenance is crucial to minimizing downtime and maximizing profits. As one of the world's leading manufacturers of chemical maintenance products, CRC has made a commitment to provide the best solution for our customers. CRC offers a broad range of products – in product categories including Cleaners, Degreasers, Lubricants, Corrosion Inhibitors and Sealants. CRC always has the right MRO chemical solution!

In this catalog, we have categorized our MRO chemicals into 3 major areas of Mining operation, helping you find the best fit for your maintenance chemical application. Our specialty products address smaller, niche applications.

**MATERIAL HANDLING** – conveyor belts, railcars, power shovels, draglines and buckets

**EQUIPMENT MAINTENANCE** – crushers, hoppers, mineral processing units, electrical components, blasting & drilling equipment and waste & water treatment facilities

**VEHICLE MAINTENANCE** – dozers, excavators, graders, loaders, forklifts and haul trucks

**SPECIALTY PRODUCTS** including pest control and hand care.

CRC takes great pride in our value-added programs, such as our award winning **Risk Reduction Partnership Plan™**...

The **Risk Reduction Partnership Plan™** by CRC was designed specifically to uncover hidden cost generators and potential regulatory compliance gaps. Our innovative 5 step process helps to minimize MRO chemical ownership costs, while maximizing performance of equipment and workforce. Since the programs introduction in 2000, CRC has documented millions of dollars of cost savings! To learn more about the **Risk Reduction Partnership Plan™** from CRC, turn to page 15.

CRC has grown by addressing the needs of our customers, and our commitment to innovation and quality service will allow us to continue to be the one you call when you want the best! CRC – Your Best Solution™!

For additional information on CRC products and programs, visit our web site [www.crc-canada.ca](http://www.crc-canada.ca), or call our Technical Service Hotline at 1-800-521-3168.

## MATERIAL HANDLING

CLEANERS & DEGREASERS .....	4
LUBRICANTS .....	7
GREASES .....	9

## EQUIPMENT MAINTENANCE

CLEANERS & DEGREASERS .....	10
LUBRICANTS .....	11
CORROSION INHIBITORS .....	12
PARTS CLEANING SYSTEMS .....	12
TOOL & EQUIPMENT OILS .....	13
METALWORKING & WELDING .....	13
SEALANTS & ADHESIVES .....	14

## VEHICLE MAINTENANCE

CLEANERS & DEGREASERS .....	16
FUEL ADDITIVES .....	18
CORROSION INHIBITORS .....	19
WINTER PRODUCTS .....	19

## SPECIALTY PRODUCTS

INSECT MANAGEMENT .....	21
HAND CLEANER .....	21
SPECIALTY .....	21

# MATERIAL HANDLING

CRC has the cleaners, lubricants and greases to help get your product delivered from loading point to discharge point as economically and efficiently as possible.

## CLEANERS & DEGREASERS

### CO® CONTACT CLEANER

- Optimal alternative to CFC, HCFC and flammable contact cleaners
- Non-flammable
- Plastic Safe
- Evaporates quickly and leaves no residue
- Non-chlorinated, non-staining and non-corrosive
- High dielectric strength of 27,600 volts
- VOC exempt
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
72016	397g Aerosol	12

### CONTACT CLEANER 2000® PRECISION CLEANER

- Evaporates quickly, leaves no residue
  - Contains no Class I or Class II Ozone Depleting Chemicals
  - No flash or fire point
  - Non-conductive and non-corrosive
  - Test on plastics
  - Not recommended for use on Noryl® or polycarbonate type plastics
- Noryl® is a registered trademark of General Electric Corporation

Part Number	Container Size	Units per Case
72140	369g Aerosol	12
03152	19L Pail	1
03153	208L Drum	1



Use CRC Heavy Duty Degreaser to remove dirt, grime & corrosion from moving parts and increase the operating efficiency of equipment.

### XT-2000™ PRECISION CLEANER

- Effectively removes dirt, light oils and other contaminants from electronic equipment
- No flash point
- Evaporates rapidly leaving no residue
- Chemically stable, non-conductive, non-corrosive and non-flammable
- Low odor, safe on most plastics

Part Number	Container Size	Units per Case
72155	340g Aerosol	12
03157	19L Pail	1

### QD® CONTACT CLEANER

- Petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics
- Plastic Safe
- Evaporates quickly and leaves no residue
- Effectively removes soil and other contaminants from electronic components
- Ideal for applications where lower flashpoint solvents can be used
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
72130	312g Aerosol	12
72131*	19L Pail	1
02132*	208L Drum	1

### HEAVY DUTY DEGREASER

- Effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment
- No flash or fire point
- Fast evaporation with no residue
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 36,800 volts
- High cleaning strength of 117 KB
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
73095	539g Aerosol	12
03096	3.785L Bottle	4
03097	19L Pail	1
03098	208L Drum	1



\*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.  
 360° spray valve – can be sprayed from any position.

# MATERIAL HANDLING

## AVIATION DEGREASER™

- Mining applications - air tools, mechanical brakes, clutches, chains, wire ropes, motors, dies, molds, parts, bearings, generators & compressors
- Effective, heavy-duty, non-flammable cleaner/degreaser
- Contains no chlorinated solvents
- Quickly dissolves grease, oil & sludge
- Evaporates rapidly and leaves no residue
- Airframe Approved, non-HAP degreaser
- No flash or fire point
- Meets requirements of Boeing D6-17487
- High dielectric strength of 26,800 volts
- Use caution on plastics
- Non-flammable

Part Number	Container Size	Units per Case
70900	510g Aerosol	12

## T-FORCE® DEGREASER

- Quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment
- Evaporates rapidly, leaves no residue and has a good health & safety profile
- Revolutionary formula – does not contain TCE, Perc or nPB
- Reduced VOC formula
- No flash or fire point
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 39,000 volts
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
73115	510g Aerosol	12

## SUPER CITRUS™ DEGREASER

- d-Limonene and petroleum blended degreaser
- Does not require water wash-off
- Controlled evaporation, leaves no residue
- Non-corrosive, non-abrasive and non-staining
- Pleasant citrus scent
- High dielectric strength of 58,600 volts
- Use caution on plastics and paints

Part Number	Container Size	Units per Case
73170	425g Aerosol	12
14172	3.785L Bottle	4
14173	19L Pail	1
14174	208L Drum	1

## CHLOR-FREE® DEGREASER

- Use where rapid turn-around is necessary
- Fast drying to help minimize downtime
- Leaves no residue
- Non-conductive, non-corrosive and non-staining
- Penetrates quickly to remove oil, grease and other contaminants
- Use caution on plastics
- Use where low flash point solvents can be used

Part Number	Container Size	Units per Case
73185*	454g Aerosol	12
03187*	19L Pail	1
03188*	208L Drum	1

## DUSTER™ AEROSOL DUST REMOVAL SYSTEM

- Removes dirt and dust from any surface without damaging sensitive components or surface finish
- Penetrates into cracks and crevices to remove contaminants that normal hand dusting cannot reach
- Delivers a powerful blast of product to remove embedded debris
- Extension tube can be used for more precise delivery
- Non-flammable, plastic safe
- No residue
- Non-abrasive

Part Number	Container Size	Units per Case
74085	227g Aerosol w/ Trigger	12



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.  
 360° spray valve – can be sprayed from any position.

More product information a click away at [www.crc-canada.ca](http://www.crc-canada.ca) • ISO-9001:2008 Certified

# MATERIAL HANDLING



## CABLE CLEAN® HIGH VOLTAGE SPLICE CLEANER

HFC/COzol® based cleaner that aggressively removes contaminants from the semi-conductive core of high voltage cables during splicing and termination. CABLE CLEAN helps prevent current leakage, excessive resistance, reduced performance and arcing at splice and termination junctions.

- Non-flammable
- Non-corrosive, non-conductive and non-staining
- Removes excess silicone from exposed insulation
- Fast evaporation, leaves no residue
- Contains no Class I or Class II ODC's

Part Number	Container Size	Units per Case
72069	539g Aerosol	12

## HYDROFORCE® SUPER CITRUS™ HEAVY DUTY DEGREASER

- Naturally formulated, aqueous degreaser dissolves grease, oil, ink, tar, asphalt and many other industrial residues
- For solvent strength degreasing
- Non-flammable
- Safe on most plastics
- Wipes off easily and leaves no residue
- Pleasant citrus scent
- Biodegradable (aerosol)

Part Number	Container Size	Units per Case
74440	425g Aerosol	12
14441	3.785L Bottle	4
14442	19L Pail	1
14443	208L Drum	1

## GREEN FORCE® HEAVY DUTY CLEANER

- US EPA Design for Environment (DfE) recognized
- Biodegradable and concentrated
- Low VOC content
- Industrial strength aqueous cleaner with the performance of a traditional solvent
- Low odor, pleasant scent
- Non-flammable

Part Number	Container Size	Units per Case
74455	3.785L Bottle	4
14456	19L Pail	1
14458	208L Drum	1

## HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous degreaser with the power of a solvent
- Non-flammable
- Safe on most plastics
- Concentrated, non-abrasive
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
74415	946mL Pump	12
14416	3.785L Bottle	4
14417	19L Pail	1
14418	208L Drum	1
14420	1040.9L Tote	1

## HYDROFORCE® ALL PURPOSE DEGREASER

- For grease busting strength with maximum versatility
- Non-flammable
- Safe on most plastics
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Low-foaming – perfect for hand-held pressure washers & industrial high pressure parts washers

Part Number	Container Size	Units per Case
74407	946mL Pump	12
14408	3.785L Bottle	4
14409	19L Pail	1
14410	208L Drum	1
14421	1040.9L Tote	1

## HYDROFORCE® ZERO VOC GENERAL PURPOSE CLEANER

HYDRFORCE Zero VOC provides maximum regulatory compliance without performance compromises. It is strong enough to attack and remove tough dirt, dust and grime deposits. Yet its moderate pH formula, rapid biodegradability and zero VOC content make it versatile and safe enough to use daily for all your cleaning tasks. Formulated with a special polymer that keeps dirt and greasy soils from returning to surfaces.

- Zero VOC formula
- Non-flammable, biodegradable, plastic safe
- Contains no phosphates, ammonia or bleach

Part Number	Container Size	Units per Case
74446	946mL Pump	12
14447	3.785L Bottle	4
14448	19L Pail	1
14449	208L Drum	1



More product information a click away at [www.crc-canada.ca](http://www.crc-canada.ca) • ISO-9001:2008 Certified

# MATERIAL HANDLING

## LUBRICANTS

### 2-26® MULTI-PURPOSE PRECISION LUBRICANT

- Drives out moisture leaving a thin, long lasting film to protect against corrosion
- Excellent for use around modern plastics and insulators
- Plastic Safe
- Prevents corrosion by displacing moisture
- Restores resistance values, helps stop current leakage
- Helps restore water damaged electrical equipment
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
72005 ☉	312g Aerosol	12
02006	3.785L Bottle	4
02009	19L Pail	1
02011	208L Drum	1

### SCREWLOOSE® SUPER PENETRANT

- Penetrates through rust and corrosion
- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Clear formula contains no dyes and leaves no mess
- VOC compliant

Part Number	Container Size	Units per Case
75330 ☉	312g Aerosol	12
03062	3.785L Bottle	4
03064	208L Drum	1

### EXTREME DUTY SILICONE

- Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics
- Reduces friction and galling even on metal-to-metal contact areas
- High temperature (-100°F to 450°F), high pressure (withstands 1200 lbs Falex test)
- High grade release and parting agent
- Clear, non-staining, odorless film resists moisture
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
73030 ☉ *	284g Aerosol	12



Use CRC Extreme Duty Silicone to reduce friction on metal-to-metal contact areas.

### KNOCK'ER LOOSE® PENETRATING SOLVENT

- Industrial strength, low viscosity lubricant
- Dissolves rust, grease, gum and corrosion
- Creeps into cracks, seams, threads and joints better than the competition
- Eases the disassembly of machinery, tools and equipment for routine maintenance and emergency repairs
- Loosens rusted and corroded nuts, bolts and frozen components
- Lubricating residue prevents corrosion
- VOC compliant

Part Number	Container Size	Units per Case
73020 ☉	369g Aerosol	12
03021	3.785L Can	4
03022	19L Pail	1
03023	208L Drum	1

### FOOD PLANT BELT DRESSING

- Provides a temporary, synthetic treatment for worn belts
- Extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction
- Use on leather, rubber, canvas or fabric
- Ideally suited for flat, round and V-belts
- Meets FDA regulation 21 CFR 178.3570 for incidental food contact
- NSF H1 Registered for use meat and poultry plants
- Tacky, non-drying, water-resistant film minimizes drive belt slippage, resists water wash-off, maintains belt flexibility and prevents loads from slipping on conveyor systems
- Colorless – will not stain finished goods transported on conveyor systems

Part Number	Container Size	Units per Case
73065*	284g Aerosol	12



\*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.  
 ☉ 360° spray valve – can be sprayed from any position.

# MATERIAL HANDLING

## NICKEL ANTI-SEIZE AND LUBRICATING COMPOUND

- Protects metal-to-metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion
- High temperature resistance protects parts up to **2400°F**
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Safe for use on both ferrous and non-ferrous metals
- Will not harden – heat aging won't affect lubricity of product
- Resistant to mild detergents and alkaline wash to protect against rust and corrosion

Part Number	Container Size	Units per Case
72911	227g Brush-Top Bottle	12

## COPPER ANTI-SEIZE AND LUBRICATING COMPOUND

- Prevents seizing and galling caused by high temperature, heavy loads, vibration and corrosion
- A smooth texture, fine particle sizing and familiar copper color, make it an excellent choice for closely fitted parts needing extreme lubrication
- Copper-based, safe for use on both ferrous and non-ferrous metals
- High temperature resistance protects parts up to **1800°F**
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Will not harden – heat aging won't affect lubricity of product

Part Number	Container Size	Units per Case
72901	227g Brush-Top Bottle	12
72095*	340g Aerosol	12

## THREAD LUBRICANT

- General purpose lubricant
- Prevents seizing and galling of threaded surfaces caused by corrosion
- Mild petroleum odour
- Safe on ferrous and non-ferrous metals
- Non-flammable
- High temperature resistance protects parts up to **300°F**

Part Number	Container Size	Units per Case
73925	227g Bottle	6

## RED GREASE

- Heavy-duty, waterproof, NLGI Grade 2 aluminum complex based grease
- Forms a tenacious, long lasting thick film
- Resists acids, alkalis, salt, oxidation, weather and steam
- Withstands high temperature (**up to 500°F**) and pressure (45 lb. Timken OK load)
- Red color provides easy visual inspection

Part Number	Container Size	Units per Case
03079*	312g Aerosol	12

## EXTREME DUTY OPEN GEAR & CHAIN LUBE

- A tough, tacky, solid film lubricant used for reducing friction and wear
- Penetrates pores of metal, with exceptional "stay-put" characteristics
- Provides maximum lubrication and shock protection
- Reduces friction and wear
- Contains Moly and Graphite
- Wide temperature range from **-25°F to 350°F**
- Will not wash or wear because of weather

Part Number	Container Size	Units per Case
73058	340g Aerosol	12

## CHAIN & WIRE ROPE LUBRICANT

- Blend of synthetic lubricants and an organic molybdenum
- Anti-wear additive penetrates deep, and leaves a tough film that lubricates and protects
- Extends the working life of chains and wire rope
- Reduces wear caused by friction and corrosion
- Resists water wash-off and high-temperature sling off
- Absorbs pin/bushing shock and cushions rollers, pins and bushing
- Can be applied with guards in place to eliminate costly downtime
- High temperature stability (**up to 350°F continuous**)

Part Number	Container Size	Units per Case
73050*	284g Aerosol	12
03053*	208L Drum	1



CRC Extreme Duty Open Gear & Chain Lube resists wash or wear associated with weather exposure.

\*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

# MATERIAL HANDLING

## GREASES

### EXTREME PRESSURE STA-PLEX™ PREMIUM RED GREASE

- Extremely versatile lithium complex, NLGI #2 grease with excellent high temperature lubrication
- Protects against rust and oxidation
- Typical drop point: 500°F

Part Number	Container Size	Units per Case
73190	397g Cartridge	10
SL3191	397g Can	12
SL3195	15.875kg Pail	1
SL3197	54kg Keg	1

### LITHIUM GENERAL PURPOSE GREASE



- Lithium base, NLGI #2 grease
- Extremely stable, designed for light duty applications
- Excellent water resistance
- Typical drop point: 350°F

Part Number	Container Size	Units per Case
73310	397g Cartridge	10
SL3311	397g Can	12
SL3315	15.875kg Pail	1
SL3317	54kg Keg	1

### MOLY-GRAPH® EXTREME PRESSURE MULTI-PURPOSE LITHIUM GREASE

- Lithium based, NLGI #2 grease
- "Moly" and graphite help establish a fine micron plating on all working surfaces
- Maintains 40 lb Timken OK Load
- Typical drop point: 380°F

Part Number	Container Size	Units per Case
73330	397g Cartridge	10
SL3141	397g Can	12
SL3145	15.875kg Pail	1
SL3146	3.175kg Pail	4



Sta-Plex™ Premium Red Grease is excellent for use in extreme pressure situations.

MolyGraph® Multi-Purpose Lithium Grease on u-joints, bushings and wheel bearings.

# EQUIPMENT MAINTENANCE

Proper equipment maintenance performed during a scheduled interval or in an emergency situation, requires the right products at the right time. Rely on the broad line of products by CRC to get the job done!

## CLEANERS/ DEGREASERS

### CONTACT CLEANER 2000™ PRECISION CLEANER

An aggressive general purpose precision cleaner that effectively removes dirt, light oils and other contaminants. It evaporates quickly, leaves no residue, has no flash or fire point.

- Contains no Class I or Class II Ozone Depleting Chemicals
- Fast cleaning action for the removal of dirt, light oils and other contaminants
- Non-conductive and non-corrosive
- Test on plastics
- High dielectric strength of 30,800 volts
- CFIA accepted

Part Number	Container Size	Units per Case
72140 	369g Aerosol	12
03152	19L Pail	1
03153	208L Drum	1

### LECTRA CLEAN® HEAVY DUTY ELECTRICAL PARTS DEGREASER

- Quickly and effectively removes grease, oil, dirt, grime, corrosion, sludge and other stubborn substances
- Increases operating efficiency of electric motors and equipment
- Fast evaporation and no residue
- Excellent alternative to 1,1,1-based cleaning products
- No flash or fire point
- High dielectric strength of 37,500 volts
- Non-corrosive, non-staining and non-conductive
- Contains no 1,1,1-Trichloroethane
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
72018	425g Aerosol	12
02020	3.785L Bottle	4
02021	19L Pail	1
02023	208L Drum	1

### LECTRA CLEAN® II NON-CHLORINATED HEAVY DUTY DEGREASER

- Use where chlorinated solvents are not acceptable
- Effectively removes soils and cleans surfaces without residue build-up
- Use caution on plastics
- High flashpoint: 180°F
- Non-chlorinated, non-conductive and non-corrosive
- High dielectric strength of 42,100 volts
- Low odor compound, unlike citrus-based products
- Contains no chlorinated solvents
- Contains no Class I or Class II Ozone Depleting Chemicals
- Zero VOC formula

Part Number	Container Size	Units per Case
72120	425g Aerosol	12
02121	3.785L Bottle	4
02122	19L Pail	1
02124	208L Drum	1

### GASKET KLEEN™

- Solvent-based cleaner removes baked-on fiber gaskets, gasket adhesives and sealants
- Contains no methylene chloride
- Loosens carbon deposits
- Protects equipment surfaces by reducing the need for excessive scraping
- Excellent paint, varnish, and graffiti remover
- VOC Compliant


Part Number	Container Size	Units per Case
75021	340g Aerosol	12

### BATTERY CLEANER

- Use to restore battery output and reduce voltage leakage due to contaminants
- Assures maximum battery current flow
- Neutralizes acid spills
- Promotes longer battery life

Part Number	Container Size	Units per Case
75097	312g Aerosol	12



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.  
 360° spray valve – can be sprayed from any position.

More product information a click away at [www.crc-canada.ca](http://www.crc-canada.ca) • ISO-9001:2008 Certified

# EQUIPMENT MAINTENANCE

## LUBRICANTS

### 3-36® MULTI-PURPOSE LUBRICANT AND CORROSION INHIBITOR

- Multi-purpose lubricant, penetrant and corrosion inhibitor
- Forms a clear, thin film that lubricates, prevents corrosion, displaces moisture and penetrates
- Penetrates through corrosion to loosen frozen parts
- Lubricates without leaving a sticky residue
- VOC Compliant

Part Number	Container Size	Units per Case
73005	312g Aerosol	12
03006	3.785L Bottle	4
03009	19L Pail	1
03011	208L Drum	1

### POWER LUBE® WITH PTFE HIGH-PERFORMANCE LUBRICANT

- High performance, multi-purpose lubricant with the benefits of PTFE
- Withstands extreme load carrying situations
- Displaces moisture and seals out corrosion
- Surpasses 4,500 lbs on Falex Load Test (ASTM D-3233)

Part Number	Container Size	Units per Case
73045*	312g Aerosol	12

## DRY MOLY LUBE

- Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS<sub>2</sub>)
- Lowers friction and prevents galling
- Helps to reduce torque and energy consumption
- High anti-friction and anti-seizure properties
- Lubricant resists high temperatures (up to 650°F), high pressure, water and chemical attack
- Non-conductive
- Harmless to most plastics, rubbers and metals

Part Number	Container Size	Units per Case
73084*	312g Aerosol	12

## RED GREASE

- Heavy-duty, waterproof NLGI Grade 2 aluminum complex based grease
- Waterproof and resistant to acids, alkalis, salt, oxidation, weather and steam
- Extends the operating service life of equipment and reduce wear, galling and scoring
- Withstands high temperature (up to 500°F) and pressure (45 lb. Timken OK load)
- Red color provides easy visual inspection

Part Number	Container Size	Units per Case
03079*	312g Aerosol	12

## WHITE LITHIUM GREASE

- High-purity, high-quality, NLGI Grade 2 white lithium-based aerosol grease
- Excellent as a break-in lubricant for machinery, tools and equipment
- Excellent heat and water resistance
- Contains rust and oxidation inhibitors for superior metal protection
- Protects with a tough, high viscosity film
- White color allows for easy visual inspection

Part Number	Container Size	Units per Case
73200*	284g Aerosol	12

## HEAVY DUTY CLEAR PENETRATING GREASE

- High tack, clear lubricating gel provides superior lubrication; contains PTFE
- Resistant to acids, alkalis, salt, oxidation, weather and steam
- Extends the operating service life of equipment and reduces wear, galling and scarring
- Withstands high temperature (up to 500°F) and pressure
- Waterproof and prevents corrosion
- Penetrates to form a thick, long-lasting film

Part Number	Container Size	Units per Case
73156*	369g Aerosol	12

## DI-ELECTRIC GREASE

- Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating
- Waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants
- Improves electrical performance during adverse conditions such as rain, fog, salt spray and temperature extremes
- Meets FDA Regulation 21 CFR 175.300 (release agent) and 21 CFR 178.3570 (lubricant, incidental food contact)
- Excellent lubricant for rubber and plastic parts
- Wide temperature range (-70°F to 400°F)

Part Number	Container Size	Units per Case
73082*	284g Aerosol	12
75106	94g Pressurized Tube	12



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.  
 † 360° spray valve – can be sprayed from any position.

# EQUIPMENT MAINTENANCE

## CORROSION INHIBITORS PARTS CLEANING SYSTEMS

### SP-400™ CORROSION INHIBITOR

- Long-term indoor/outdoor (up to 2 years outdoors) corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions
- Firm, waxy film is highly resistant to humidity and salt spray and never becomes brittle

Part Number	Container Size	Units per Case
73282*	284g Aerosol	12
73286	19L Pail	1
03288	208L Drum	1

### BATTERY TERMINAL PROTECTOR

- Provides a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts
- Enhances battery life and power by preventing corrosion-related leakage
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly
- Prevents hard starts and battery failure

Part Number	Container Size	Units per Case
75046	213g Aerosol	12

### SEAL COAT® URETHANE COATING

- Conformal polyurethane coating that insulates electrical equipment and seals out water and moisture
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistance make it ideal for electrical/electronics applications
- Effective temperature range of **-90°F to 250°F**
- Abrasion resistant insulator for electrical and electronic equipment and components
- Available in Clear or Red formulations

Part Number	Container Size	Units per Case
72044*	Red 344g Aerosol	12
72049*	Clear 330g Aerosol	12

### SMARTWASHER® 41

- Has a large 8"H x 41"W x 24"D sink that removes for easy cleaning and a side mounted control panel

Part Number	Container Size	Units per Case
14144	1 Unit	1

### SMARTWASHER® 28

- Has an 8"H x 28"W x 17"D sink that removes for easy cleaning and a side mounted control panel

Part Number	Container Size	Units per Case
14145	1 Unit	1

### SMARTWASHER® MOBILE UNIT

- Has an 8"H x 27"W x 23"D sink that removes for easy cleaning, and a side mounted electronic control panel. Also has a built in dolly which allows for easy mobility

Part Number	Container Size	Units per Case
14161	1 Unit	1

### INDUSTRIAL GRADE CLEANING SOLUTION

- Removes the toughest industrial soils with minimal odor

Part Number	Description	Container Size	Unit per Case
14148	SMARTWASHER Industrial Grade Cleaning Solution	19L Jug	1

### AUTOMOTIVE & INK GRADE CLEANING SOLUTION

- Removes printers ink and automotive carbon and varnishes

Part Number	Description	Container Size	Unit per Case
14156	SMARTWASHER Automotive & Ink Grade Cleaning Solution	19L Jug	1

### SPECIALTY METALS CLEANING SOLUTION

- Maximum strength, low odor formula removes soils from both ferrous and non-ferrous metals. Perfect for use on all aircraft metals

Part Number	Description	Container Size	Unit per Case
14158	SMARTWASHER Metals Cleaning Solution	19L Jug	1

### PREMIUM GRADE FILTER

- Works with all fluids and contains 50% more microbes for maximum bioremediation

Part Number	Description	Container Size	Unit per Case
14147	SMARTWASHER Premium Filters	1 Pack	6



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. SmartWasher® is a registered trademark of ChemFree Corporation.

# EQUIPMENT MAINTENANCE

## TOOL & EQUIPMENT OILS

### AIR TOOL OIL SAE 10

- Lubricates and protects pneumatic equipment
- Increases torque; assures long tool life
- Reduces rust, varnish, sludge and acids

Part Number	Container Size	Units per Case
74095	444mL Bottle	12
SL2533	3.785L Bottle	4

### HYDRAULIC & JACK OIL SAE 20

- Protects all parts in hydraulic jacks over a wide temperature range
- Prevents foaming, rust, oxidation, corrosion and seal swell

Part Number	Container Size	Units per Case
SL2555	19L Pail	1
75553	3.785 L Bottle	4

### UNIVERSAL 2-CYCLE OIL

- Extends engine service life
- Minimizes plug fouling, port plugging and ring sticking
- Clean burning with minimal smoke
- Protects against heat, corrosion and rust

Part Number	Container Size	Units per Case
75261	444mL Bottle	12
75262	946mL Bottle	12

## METALWORKING & WELDING

### SPATTER-FREE™ WELDER'S ANTI-SPATTER

- Prevents spatter from adhering to surrounding metal surfaces during welding
- Eliminates the need to chisel, grind or wire brush after welding
- Water-based formula allows easy clean-up without the use of solvent cleaners
- Does not contain silicone
- Contains no ODCs
- Rust inhibiting additive prevents flash rust on in-process and surrounding metal surfaces
- Non-hazardous decomposition
- Low odor

Part Number	Container Size	Units per Case
73083	397g Aerosol	12

### KOOL TAP™ EP CUTTING OIL

- Designed as a heavy duty cutting fluid for use in severe applications
- Clings to the cutting tool throughout the operation
- Contains no 1,1,1-Trichloroethane
- Excellent for use on tough stainless steel and exotic metals
- Thick fluid clings to vertical surfaces
- Provides excellent finish and accurate threads

Part Number	Container Size	Units per Case
73470	444mL Bottle	12
03403	208L Drum	1

### ZINC-MATE™

- Actively fights rust and corrosion with a film of >92% pure zinc
- Protects base metal even when scratched, abraded, or dented
- Fast-drying, dries to the touch in 15 minutes
- Excellent weldability
- Excellent touch-up for damaged galvanized coatings

Part Number	Container Size	Units per Case
73054*	369g Aerosol	12
18413	3.785L Can	1



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

# EQUIPMENT MAINTENANCE

## SEALANTS & ADHESIVES

### RTV SILICONE ADHESIVE/ SEALANTS

- Clear** Forms a barely visible water-tight seal
- White** Designed for high moisture, indoor/outdoor applications
- Blue** Heavy duty industrial gasket sealant
- Red** High temperature, low odor, non-corrosive gasket sealant
- Black** High pressure low odor, non-corrosive gasket sealant
- Seal, bond, waterproof and protect
- Cure at room temperature – no special curing methods required
- The chemically stable formulations show little change in physical properties after exposure to rain, snow, temperature extremes and weathering

### RTV SILICONE PRESSURIZED TUBES

- Revolutionary packaging that's a convenient alternative to caulking tubes
- Dispenses a uniform bead for consistent results
- Pressurized package keeps silicone fresh so it won't dry out
- Self-sealing plug – Simply pull out to re-use the product

Part Number	Container Size	Units per Case
74055	205g Pressurized Tube-Clear	12
74056	205g Pressurized Tube-White	12
14057	205g Pressurized Tube-Blue	12
74059	205g Pressurized Tube-Red	12
14072	205g Pressurized Tube-Black	12

### FOAM MINIMAL EXPANSION AEROSOL SEALANT


- Polyurethane foam designed to fill, seal, bond, retrofit, insulate and deaden sound in and around cracks and cavities
- Forms a permanent, waterproof and airtight bond to masonry, wood, glass, metal & most plastics
- Stops drafts, dust, moisture, insects and rodents
- When cured, foam can be sanded, painted or stained
- The low expansion formula expands 50% when fully cured
- Cured foam insulates to R-5 for each inch of foam
- UL classified as a caulking sealant
- Foam and propellant are non-flammable
- Convenient 360° valve – can be sprayed from any position
- Reusable for up to 30 days after initial use

Part Number	Container Size	Units per Case
74077	340g Aerosol	12

### MINUTE MEND™ EPOXY PUTTY

- Permanently repairs scratches, gouges and holes in drums, tanks, pipes, castings, molds, sinks, tubs and leaky gaskets
- Can be used in plumbing, electrical, ceramic, vehicle and machinery repair
- Specially formulated to bond to both wet and dry surfaces and can even be applied under water
- A two-part epoxy putty packaged in a convenient one piece stick
- Ready to use in less than one minute
- Can be tapped, sawed, drilled, machined, stained or painted

Part Number	Container Size	Units per Case
74070	114g Stick	24



Repair leaky gaskets in minutes with CRC Minute Mend™ Epoxy Putty.

360° spray valve – can be sprayed from any position.

# CRC Risk Reduction Partnership Plan™

## Complex Issues Made Simple

Ensure the lowest overall ownership costs and achieve maximum performance benefits with the award winning Risk Reduction Partnership Plan™ by CRC. As experts in MRO maintenance chemicals, CRC and your preferred distributor will team up to improve the management of your MRO chemicals through a five-step process.



### WHAT IS THE PURPOSE OF R2P2™?

*Identify issues that drive costs:*

- Regulatory/Disposal
- Safety/Technical Support/Proper Handling
- Downtime/Low Productivity
- Inventory/Product Duplication/Storage
- Vendor Reduction/Consolidation/Local support

### WHAT IS THE VALUE OF R2P2™?

*Lower costs and improve management of MRO chemicals:*

- Minimize chemical ownership costs
- Achieve MSHA compliance
- Improve workforce safety
- Customize a chemical solution program

**Take advantage of our free service offer.**  
For program details call Customer Service at 905-670-2291  
or visit our website [www.crc-canada.ca](http://www.crc-canada.ca)

# VEHICLE MAINTENANCE

Whether you are maintaining a fleet of vehicles or pushing your heavy equipment to its limits, CRC's line of heavy duty vehicle maintenance products will help to minimize wear & tear and extend the service life of your vehicles.

## CLEANERS & DEGREASERS

### BRÄKLEEN® BRAKE PARTS CLEANER

- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Helps brakes last longer and perform more efficiently
- Non-flammable
- Cleans fast, dries fast, leaves no residue
- Degreases instantly
- Works without disassembly
- Not for use in CA and NJ

Part Number	Container Size	Units per Case
75089	539g Aerosol	12
75090	3.785L Bottle	4
75091	19L Pail	1
75093	208L Drum	1

### BRÄKLEEN® NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Use where compliance calls for a chlorine-free product
- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Contains no chlorinated solvents
- Cleans fast, dries fast, leaves no residue
- Works without disassembly

Part Number	Container Size	Units per Case
75088*	397g Aerosol	12
75086*	19L Pail	1
75087*	208L Drum	1

### BRÄKLEEN® NON-CHLORINATED BRAKE PARTS CLEANER WITH POWER JET™ TECHNOLOGY

- The strongest Non-Chlorinated formula available
- Power Jet™ technology provides a more powerful spray which blasts away brake dust, brake fluid, grease and oil while using less product and taking less time to clean

Part Number	Container Size	Units per Case
75050*	397g Aerosol	12
75055	19L Pail	1

### BRÄKLEEN® NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Use where compliance calls for a chlorine-free product
- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Contains no chlorinated solvents
- Cleans fast, dries fast, leaves no residue
- Works without disassembly

Part Number	Container Size	Units per Case
75391*	19L Pail	1

### LECTRA-MOTIVE® ELECTRIC PARTS CLEANER

- Provides fast, thorough cleaning for non-sensitive electrical equipment
- Dissolves grease, oil, dirt and wax
- Leaves no residue
- Non-flammable
- Zero VOC formula

Part Number	Container Size	Units per Case
75018	539g Aerosol	12
05019	3.785L Bottle	4
05024	208L Drum	1
75022	19L Pail	1



CRC Bräkleen® degreases instantly and removes brake fluid, grease & oil.



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

# VEHICLE MAINTENANCE

## CLEAN-R-CARB™ CARBURETOR CLEANER

- Instantly dissolves deposits on venturries, linkages, butterflies and PCV systems
- Improves fuel system performance
- Harmless to catalytic converters and oxygen sensors
- Low VOC formula – 05379 and 05381

Part Number	Container Size	Units per Case
75081*	454g Aerosol	12

## BATTERY CLEANER WITH ACID INDICATOR

- Detects leaks and neutralizes acids
- Spray on, rinse off
- Cleans terminals, cases and cables
- Non-flammable

Part Number	Container Size	Units per Case
75097	312g Aerosol	12

## HYDROFORCE® SUPER CITRUS™ HEAVY DUTY DEGREASER

- Naturally formulated, aqueous degreaser dissolves grease, oil, ink, tar, asphalt and many other industrial residues
- For solvent strength degreasing
- Non-flammable
- Safe on most plastics
- Wipes off easily and leaves no residue
- Pleasant citrus scent
- Biodegradable (aerosol)

Part Number	Container Size	Units per Case
74440	425g Aerosol	12
14441	3.785L Bottle	4
14442	19L Pail	1
14443	208L Drum	1

## HYDROFORCE® GLASS CLEANER

### PROFESSIONAL STRENGTH

- Ammonia-fortified aqueous based formula contains a foaming agent for greater coverage and less run-off
- For professional strength, streak-free glass cleaning
- Ready to use
- Non-abrasive foaming action
- Non-flammable, non-ozone depleting
- Biodegradable

Part Number	Container Size	Units per Case
74411	946mL Trigger Spray Bottle	12
14413	3.785L Bottle	4
14427	208L Drum	1

## GREEN FORCE® GLASS & SURFACE CLEANER



- Effectively cuts greasy films and soils leaving surfaces sparkling clean
- US EPA Design for Environment (DfE) recognized
- Biodegradable and concentrated
- Low VOC content
- Professional strength
- Non-ammoniated
- Non-abrasive
- Non-flammable
- Ready to use

Part Number	Container Size	Units per Case
74460	946mL Spray Bottle (RTU)	12
74461	3.785L Bottle	4

## HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous degreaser with the power of a solvent
- Non-flammable
- Safe on most plastics
- Concentrated, non-abrasive
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
74415	946mL Trigger Spray Bottle	12
14416	3.785L Bottle	4
14417	19L Pail	1
14418	208L Drum	1
14420	1040.9L Tote	1



\* This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

More product information a click away at [www.crc-canada.ca](http://www.crc-canada.ca) • ISO-9001:2008 Certified

# VEHICLE MAINTENANCE

## FUEL ADDITIVES

### FUEL INJECTOR & CARBURETOR CLEANER

- Removes deposits from injectors, carburetor and intake system
- With regular use, eliminates hard starts, rough idling, dieseling and excessive emissions
- Reduces engine demand for high octane fuel
- Harmless to catalytic converters and oxygen sensors

Part Number	Container Size	Units per Case
75061	355mL Bottle	12

### DIESEL FUEL THERAPY® DIESEL INJECTOR CLEANER PLUS

- Reliquifies gelled fuel
- Lubricates upper cylinders
- Reduces emission and smoke
- Dissolves varnish and gum accumulation
- Improves fuel economy
- Disperses water
- Contains no harmful alcohol
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
75202	888mL Bottle	12
75203	3.785L Bottle	4
05225	19L Pail	1

### DIESEL FUEL THERAPY® DIESEL INJECTOR CLEANER WITH ANTI-GEL

- Lowers cold filter plug point by as much as 31°F
- Cleans injectors
- Reliquifies gelled diesel fuel
- Lubricates upper cylinders
- Disperses water
- Contains no harmful alcohol
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
75212	888mL Bottle	12
75213	3.785L Bottle	4
75214	19L Pail	1
05455	208L Drum	1

### BIO-CON™ SLUDGE SEDIMENT REMOVER

- Keeps injectors clean
- Removes sludge and sediment from diesel fuel & furnace oils
- Absorbs and disperses moisture
- Improves storage stability of fuel

Part Number	Container Size	Units per Case
75225	355mL Bottle	12
05558	19L Pail	1

### PHASEGUARD4™ ULTIMATE FUEL STABILIZER

- 4-in-1 fuel stabilizer
- Maximum protection to prevent phase separation in ethanol-blended fuels
- Protects against loss of power, mileage and corrosion
- Cleans the entire fuel system
- Restores power and mileage
- Stabilizes fuel up to 24+ months
- 1 ounce (30 mL) treats 10 gallons (38 L) of gasoline
- For all gas powered 2- and 4-cycle engines
- Effective in E10 to E85 fuels

Part Number	Container Size	Units per Case
75141	237mL Bottle	12
75142	474mL Bottle	12
75143	30mL Package	6



More product information a click away at [www.crc-canada.ca](http://www.crc-canada.ca) • ISO-9001:2008 Certified

# VEHICLE MAINTENANCE

## CORROSION INHIBITORS

### BATTERY TERMINAL PROTECTOR

- Provides a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts
- Enhances battery life and power by preventing corrosion-related leakage
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly
- Prevents hard starts and battery failure

Part Number	Container Size	Units per Case
75046*	213g Aerosol	12

### SALT TERMINATOR® ENGINE FLUSH, CLEANER & CORROSION INHIBITOR

- Cleans & protects anything exposed to salt (salt-water, salt air, road salt)
- Dissolves salt & leaves a protective coating to inhibit corrosion
- Non-flammable, no flash point, minimal odor

Part Number	Container Size	Units per Case
76128	3.785L Bottle	4
76320	946mL Bottle w/Mixer	6
SXMXR	Salt Terminator Mixer Unit	12

## RUST CONVERTER

- Neutralizes rust and converts it to a tough, black primer in one easy step
- Applications include vehicles, trailers, railings, bridges, equipment, storage tanks, transmission towers, etc.
- No more scraping or sandblasting
- Instantly stops rust
- Converts rust to a tough black primer
- Protects surfaces for years

Part Number	Container Size	Units per Case
18418	946mL Bottle	12
18419	3.785L Bottle	4
74610	425g Aerosol	12

## RUST REMOVER

- Safe, effective, fast-acting formula removes rust, not metal
- Leaves metal clean and ready to paint, plate or powder coat
- No heavy wire brushing or sand blasting required
- Removes rust quickly
- Uses Acid Safe Technology
- Non-corrosive, non-flammable
- Zero VOC
- No heavy fumes or bad odors
- Packing Group III for shipping

Part Number	Container Size	Units per Case
18420	946mL Bottle	12
74421	3.785L Bottle	4

## WINTER PRODUCTS

### JUMP START® STARTING FLUID W/ LUBRICITY


- Assures fast, economical starts in extremely cold or humid climates
- Upper cylinder lubricant minimizes wear during cold starts
- Effective to **-65°F**
- For diesel and gasoline engines
- Complies with ULSD fuel requirements

Part Number	Container Size	Units per Case
75671*	312g Aerosol	12

### QUICK FLOW™ EMERGENCY DIESEL-GEL RELIEF

- Instantly works to dissolve gelled fuel
- Thaws frozen fuel filters
- Lowers pour point by as much as 35°F
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
75911	946mL Bottle	12
05928	3.785L Bottle	4
05925	19L Pail	1
05955	208L Drum	1



CRC Rust Converter instantly stops rust and protects metal surfaces for years.

\*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

# VEHICLE MAINTENANCE

## DIESEL FUEL ANTI-GEL

- Prevents fuel gelling and waxing
- Contains lubricity additive for low sulfur fuels
- Formulated for cold weather use in all diesel equipment
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
75221	340g Bottle	12

## AIR BRAKE ANTI-FREEZE & CONDITIONER

- Provides complete winter protection for air brake systems
- Eliminates and prevents moisture accumulation and icing
- Prevents damage to air brake seals
- Anti-freeze and anti-rust

Part Number	Container Size	Units per Case
75532	946mL Bottle	12
75528	3.785L Bottle	4
05555	208L Drum	1



CRC Diesel Fuel Anti-Gel prevents fuel gelling & waxing and is formulated for cold weather use in all diesel equipment.

## ICE-OFF® WINDSHIELD SPRAY DE-ICER

- Melts ice, snow and frost on contact
- Harmless to car finish
- Thaws frozen locks
- Effective to sub-zero temperatures

Part Number	Container Size	Units per Case
75346	340g Aerosol	12

## STOR-X® FUEL STABILIZER

- Stabilizes fuel by inhibiting formation of varnishes, peroxides and gum
- Preserves gasoline and diesel fuel for up to 1 year
- Treats up to 20 gallons
- Does not contribute to induction system deposits
- OK for biodiesel

Part Number	Container Size	Units per Case
76063	227g Bottle	12



More product information a click away at [www.crc-canada.ca](http://www.crc-canada.ca) • ISO-9001:2008 Certified

# SPECIALTY PRODUCTS

CRC specialty products offer solutions for many niche MRO applications.

## INSECT MANAGEMENT

### BUG BLAST™

#### WASP & HORNET KILLER

- Knocks down and kills wasps, hornets, fire ants, scorpions and black widow spiders
- Contains no chlorinated solvents
- Plastic-safe – will not damage plastic connectors and other insulating materials
- CRC trigger provides a dense, accurate spray that will reach over 20 feet to drench harmful insects and their nests
- The only wasp and hornet killer in the industry to offer a M.S.D.[L.]™, a current MSDS printed on the reverse side of the product label
- High dielectric strength of 47,600 volts
- Extension tube doubles as a locking mechanism

Part Number	Container Size	Units per Case
72010	397g Aerosol	12

## HAND CLEANER

### MECHANIX ORANGE™ CITRUS LOTION HAND CLEANER WITH PUMICE

- Formulated with the natural cleaning power of citrus
- Fast, yet gentle hand cleaner is pH balanced
- Highly concentrated and very effective at cleaning the toughest soil, grime, ink, oil and paint
- Use with or without water
- Contains no harsh solvents
- Biodegradable formula
- Fortified with pumice for deep cleaning power
- Conditions skin to leave hands feeling clean and fresh
- Fresh citrus scent

Part Number	Container Size	Units per Case
74090	473mL Bottle	12
SL1719	3.785L Bottle w/ Pump	4

## SPECIALTY

### ZINC MATE™

- High-performance coating of >92% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. ZINC-MATE is an excellent touch-up for damaged galvanized coatings.
- Actively fights rust and corrosion with a film of >92% pure zinc
- Protects base metal even when scratched, abraded, or dented
- Fast-drying, dries to the touch in 15 minutes
- Excellent weldability

Part Number	Container Size	Units per Case
75054*	369g Aerosol	12
18413	3.785L Can	1

## SEAL COAT URETHANE COATING

- Provides a conformal polyurethane coating that insulates electrical equipment and seals out water and moisture. Clear formulation allows for visualization of equipment; Red provides striking contrast.
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistivity make it ideal for electrical/electronics applications
- Effective temperature range of -67°C to 121°C
- Abrasion resistant insulator for electrical and electronic equipment and components

Part Number	Container Size	Units per Case
72044*	344g Aerosol (red)	12
72049*	330g Aerosol (clear)	12



Bug Blast™ Wasp & Hornet Killer kills pests on contact and keeps workers on the job.

\*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

# SPECIALTY PRODUCTS

## SP-350™ CORROSION INHIBITOR

- Provides both superior lubrication and heavy duty corrosion protection for metal parts and assemblies that are stored indoors. SP-350 promotes easy start-up of stored equipment. Use as a protective coating for assemblies in storage or in shipment.
- Displaces moisture and protects all metals with a thin non-drying film
- Protects equipment and parts in storage, shipment and in process for up to 2 years indoors
- High pressure lubricant that withstands up to 1,250 lbs of pressure in Falex test method

Part Number	Container Size	Units per Case
73262	312g Aerosol	12
03266	19L pail	1
03268	208L drum	1

## THREAD LUBRICANT

- A general purpose lubricant that prevents seizing and galling caused by high temperatures, heavy loads, vibration and corrosion. Thread Lubricant aids assembly and disassembly, prevents rust and corrosion, and helps reduce costly downtime and breakage. This unique formula has a smooth texture, and fine particle sizing making it an excellent choice for closely fitted parts that need lubrication.
- Prevents seizing and galling
- Lithium-based formula is safe for use on both ferrous and non-ferrous metals
- Compare to Crouse-Hinds® STL8
- Will not compromise integrity of soft metals
- Will not harden – heat aging won't affect lubricity of product
- Facilitates fast & easy disassembly

Part Number	Container Size	Units per Case
73925	227g Brush-top Bottle	12

## EXTREME DUTY OPEN GEAR & CHAIN LUBE


- A tough, tacky, solid film lubricant used for reducing friction and wear. It is a heavy-duty compound specially prepared to penetrate pores of metal, with exceptional "stay-put" characteristics. It provides maximum lubrication and shock protection, reduces gear noise, lubricates, prevents scoring and welding of gear teeth.
- Tough, tacky, solid film
- Reduces friction and wear
- Contains Moly and Graphite
- Wide temperature range from -25°F to 350°F
- Will not wash or wear because of weather

Part Number	Container Size	Units per Case
73058	340g Aerosol	12

## AEROSOL LEAK DETECTOR

- CRC Leak Detector is formulated for the quick and easy site detection of gas leaks and air leaks. Reliably locates gas leaks and pressure losses in pipes and pressurized systems by forming highly visible bubbles when applied over any leak. The water-based formula contains no oils, silicones or harmful solvents.
- Highlights all leaks, even under low pressure
- Non-flammable
- Water-based formula – No oils, silicones or harmful solvents
- Aerosol package enables fast and easy application with no waste or spillage
- No odor
- NSF P1 Registered

Part Number	Container Size	Units per Case
74503	510g Aerosol	12



\*Crouse-Hinds® is a registered trademark of Cooper Technologies Company.



**ENVIRONMENTALLY  
PREFERRED PRODUCTS**

**HELPING TO GREEN THE WORKPLACE**



- NO VOC OR LOW VOC CONTENT • NO HAZARDOUS AIR POLLUTANTS
- NO OZONE DEPLETING CHEMICALS • NO SARA REPORTABLE INGREDIENTS



**Automotive Maintenance**



**Industrial Maintenance**



**Marine Maintenance**

Visit CRC Canada on the web & get instant access to the following product information:

- Literature • MSDS • Product Demos • Food Acceptance Letters
- Images • Problem Solving Tips • FAQs

**[www.crc-canada.ca](http://www.crc-canada.ca)**





**CRC Canada Co.**

2-1246 Lorimar Drive, Mississauga, Ontario L5S 1R2 • T (905) 670-2291 • F (905) 670-5941

Industrial@crc-canada.ca • www.crc-canada.ca